We focus on the drinking water health

Bottled Water Dispenser

812-Series(Hot & Cold & Normal)

Model No.	812AD
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	18.0/17.0 Kgs
Meas.	390x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

We focus on the drinking water health

Bottled Water Dispenser

812-Series(Hot & Cold & Normal)

Model No.	812D/812BD
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	18.0/17.0 Kgs
Meas.	390x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

912-Series(Hot & Cold)

Model No.	912A
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	18.0/17.0 Kgs
Meas.	390x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

912-Series(Hot & Cold & Normal)

Model No.	912D/912BD
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	18.0/17.0 Kgs
Meas.	390x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

89-Series(Hot & Cold & Normal)

Model No.	89AD/89BD	89AD/89BD
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

85/89-Series(Hot & Cold & Normal)

Model No.	85BD/89D	85BD/89D
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

85-Series(Hot & Cold /Hot & Cold & Normal)

Model No.	85D/85	85D/85
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

82-Series(Hot & Cold /Hot & Cold & Normal)

Model No.	82D/82	82D/82
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

83-Series(Hot & Cold /Hot & Cold & Normal)

Model No.	83/83D	83/83D
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

84-Series(Hot & Cold /Hot & Cold & Normal)

Model No.	84D/84	84D/84
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

22-Series(Hot & Cold & Normal)

Model No.	22D/22C	22D/22C
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

22--Series(Hot & Cold & Normal)

Model No.	22S	22S
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

22--Series (Hot & Cold)

Model No.	22A/22B	22A/22B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15 .0Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

60--Series (Hot & Cold)

Model No.	60	60
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

61--Series (Hot & Cold)

Model No.	61D/61	61D/61
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

51--Series (Hot & Cold)

Model No.	51	51
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With(out) Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

54--Series (Hot & Cold)

Model No.	54A/54B	54A/54B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

180/76--Series(Hot & Cold)

Model No.	180/76	180/76
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	19.0/18.0 Kgs	18.0/17.0 Kgs
Meas.	395x365x1100 mm	395x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

55--Series(Hot & Cold /Hot & Cold & Normal)

Model No.	55D/55	55D/55
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

53--Series(Hot & Cold)

Model No.	53A/53B	53A/53B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

181--Series(Hot & Cold)

Model No.	181R/181	181R/181
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	19.0/18.0 Kgs	18.0/17.0 Kgs
Meas.	395x365x1100 mm	395x365x1100 mm
Loading Qty.	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ	180Pcs/20'GP 360Pcs/40'GP 360Pcs/40'HQ

58--Series(Hot & Cold)

Model No.	58A/58B	58A/58B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With(out) Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

37--Series(Hot & Cold)

Model No.	37A/37B	37A/37B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP	224Pcs/20'GP
	462Pcs/40'GP	462Pcs/40'GP
	462Pcs/40'HQ	462Pcs/40'HQ

37--Series(Hot & Cold)

Model No.	37W	37W
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP	224Pcs/20'GP
	462Pcs/40'GP	462Pcs/40'GP
	462Pcs/40'HQ	462Pcs/40'HQ

11--Series (Hot & Cold)

Model No.	11J/11C	11J/11C
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP	224Pcs/20'GP
	462Pcs/40'GP	462Pcs/40'GP
	462Pcs/40'HQ	462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

18--Series (Hot & Cold)

Model No.	18B/18	18B/18
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP	224Pcs/20'GP
	462Pcs/40'GP	462Pcs/40'GP
	462Pcs/40'HQ	462Pcs/40'HQ

181--Series(Hot & Cold)

Model No.	181X	181X
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	18.0/17.0 Kgs	17.0/16.0Kgs
Meas.	350x340x1025 mm	350x340x1025 mm
Loading Qty.	204Pcs/20'GP	204Pcs/20'GP
	408Pcs/40'GP	408Pcs/40'GP
	408Pcs/40'HQ	408Pcs/40'HQ

18--Series(Hot & Cold /Hot & Cold & Normal)

Model No.	18D	18C/18D
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With(out) Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP	224Pcs/20'GP
	462Pcs/40'GP	462Pcs/40'GP
	462Pcs/40'HQ	462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

26--Series(Hot & Cold &Normal)

Model No.	26D	26C/26D
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

15--Series (Hot & Cold)

Model No.	15	15
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

26--Series (Hot & Cold)

Model No.	26	26/26B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

48--Series (Hot & Cold)

Model No.	48A/48B	48A/48B
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x1025mm	350x320x1025mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

23--Series (Hot & Cold)

Model No.	23	23
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

33--Series (Hot & Cold)

Model No.	33/33C	33/33C
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x1025mm	350x320x990mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

20/202--Series(Hot & Cold)

Model No.	20/202
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
Cabinet	With Storage Cabinet
G.W./N.W.	14.0/13.0 Kgs
Meas.	320x320x870mm
Loading Qty.	238Pcs/20'GP 518Pcs/40'GP 756Pcs/40'HQ

13--Series (Hot & Cold)

Model No.	13	13
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

39/56--Series(Hot & Cold)

Model No.	39/56	39/56
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.(39) Meas.(56)	350x320x990 mm 350x320x1025 mm	350x320x990mm 350x320x1025 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Standing Floor Water Dispenser

We focus on the drinking water health

63--Series(Hot & Cold /Hot & Cold & Normal)

Model No.	63D/63	63D/63
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

64--Series(Hot & Cold & Normal)

Model No.	64D	64D
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	360x320x990 mm	360x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

37--Series(Hot & Cold)

Model No.	37F/37FW	37F/37FW
Cooling Method	Compressor Cooling	Compressor Cooling
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	95W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	≤10℃ 2L/h
Cabinet	With Refrigerator	With Storage Cabinet
G.W./N.W.	17.0/16.0 Kgs	16.0/15.0 Kgs
Meas.	350x320x990 mm	350x320x990 mm
Loading Qty.	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ	224Pcs/20'GP 462Pcs/40'GP 462Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

54--Series(Hot & Cold)

Model No.	54A/54B
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0Kgs
Meas.	360x320x530 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

51--Series (Hot & Cold)

Model No.	51
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

53--Series(Hot & Cold)

Model No.	53A/53B
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x530 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

61--Series(Hot & Cold /Hot & Cold & Normal)

Model No.	61/61D
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.5/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

60--Series (Hot & Cold)

Model No.	60
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

37--Series (Hot & Cold)

Model No.	37A/37B
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x530 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

83/84D--Series(Hot & Cold / Hot & Cold &Normal)

Model No.	83/84D
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

18D--Series (Hot & Cold & Normal)

Model No.	18D
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

85/89D--Series(Hot & Cold / Hot & Cold &Normal)

Model No.	85/89D
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

55--Series(Hot & Cold / Hot & Cold &Normal)

Model No.	55D/55
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

26--Series (Hot & Cold)

Model No.	26
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

58--Series (Hot & Cold)

Model No.	58A/58B
Cooling Method	Compressor Cooling
Rated Voltage	220V~/110V~
Rated Frequency	50/60Hz
Heating Power	550W
Cooling Power	90W
Heating Capacity	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h
G.W./N.W.	12.0/11.0 Kgs
Meas.	360x320x550 mm
Loading Qty.	448Pcs/20'GP 924Pcs/40'GP 924Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

14--Series(Hot & Cold /Hot & Normal)

Table-14--Series	Hot & Cold	Hot & Normal
Model No.	14	14
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	3.5/3.0 Kgs	3.0/2.5 Kgs
Meas.	325x310x428 mm	315x310x428 mm
Loading Qty.	637Pcs/20'GP	637Pcs/20'GP
	1323Pcs/40'GP	1323Pcs/40'GP
	1512Pcs/40'HQ	1512Pcs/40'HQ

12--Series(Hot & Cold /Hot & Normal)

Table-12--Series	Hot & Cold	Hot & Normal
Model No.	12	12
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	3.0/2.5 Kgs	2.5/2.0 Kgs
Meas.	315x300x420 mm	315x300x420 mm
Loading Qty.	665Pcs/20'GP	665Pcs/20'GP
	1365Pcs/40'GP	1365Pcs/40'GP
	1638Pcs/40'HQ	1638Pcs/40'HQ

10--Series(Hot & Cold /Hot & Normal)

Table-10-Series	Hot & Cold	Hot & Normal
Model No.	10	10
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	3.0/2.5 Kgs	2.5/2.0 Kgs
Meas.	315x300x420 mm	315x300x420 mm
Loading Qty.	665Pcs/20'GP	665Pcs/20'GP
	1365Pcs/40'GP	1365Pcs/40'GP
	1638Pcs/40'HQ	1638Pcs/40'HQ

Table Water Dispenser

We focus on the drinking water health

CS-100--Series(Cold & Normal/Hot & Normal)

Mini Series	Cold & Normal	Hot & Normal
Model No.	CS-100	CS-100
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	2.0/1.5 Kgs	1.5/1.0 Kgs
Meas.	300x205x225 mm	300x205x225 mm
Loading Qty.	2784Pcs/20'GP	2784Pcs/20'GP
	5664Pcs/40'GP	5664Pcs/40'GP
	6372Pcs/40'HQ	6372Pcs/40'HQ

02--Series(Hot & Cold/Hot & Normal)

Mini Series	Hot & Cold	Hot & Normal
Model No.	02	02
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	2.0/1.5 Kgs	1.5/1.0 Kgs
Meas.	300x205x225 mm	300x205x225 mm
Loading Qty.	2784Pcs/20'GP	2784Pcs/20'GP
	5664Pcs/40'GP	5664Pcs/40'GP
	6372Pcs/40'HQ	6372Pcs/40'HQ

02--Series(Hot & Cold/Hot & Normal)

Mini Series	Hot & Cold	Hot & Normal
Model No.	02X	02X
Cooling Method	Electric Cooling	---
Rated Voltage	220V~/110V~	220V~/110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	70W	---
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤15℃ 0.8L/h	---
G.W./N.W.	2.0/1.5 Kgs	1.5/1.0 Kgs
Meas.	300x205x225 mm	300x205x225 mm
Loading Qty.	2784Pcs/20'GP	2784Pcs/20'GP
	5664Pcs/40'GP	5664Pcs/40'GP
	6372Pcs/40'HQ	6372Pcs/40'HQ

We focus on the drinking water health

RO Water Dispenser

We focus on the drinking water health

85/89--Series(Hot & Cold /Hot & Cold & Normal)

Model	85/89BD	85/89BD
Cooling Method	Compressor Cooling	Electric Cooling
Origin of Water	Tap Water	Tap Water
Water Pressure	0.1-0.5Mpa	0.1-0.5Mpa
Filtration Speed of Water	150-800ml/min	150-800ml/min
Volume of Water Tank	3.2 Gallon	3.2 Gallon
Rated Voltage	220V~110V~	220V~110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	90W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	10℃-15℃ 0.8L/h
Meas.	360x320x990mm	360x320x990mm
Loading Qty.	224Pcs/20Gp	256Pcs/20Gp
	462Pcs/20Gp	539Pcs/20Gp
	462Pcs/20Gp	594Pcs/20Gp

33--Series(Hot & Cold)

Model	33	33
Cooling Method	Compressor Cooling	Electric Cooling
Origin of Water	Tap Water	Tap Water
Water Pressure	0.1-0.5Mpa	0.1-0.5Mpa
Filtration Speed of Water	150-800ml/min	150-800ml/min
Volume of Water Tank	3.2 Gallon	3.2 Gallon
Rated Voltage	220V~110V~	220V~110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	90W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	10℃-15℃ 0.8L/h
Meas.	350x320x990/1025mm	350x320x990/1025mm
Loading Qty.	224Pcs/20Gp	256Pcs/20Gp
	462Pcs/20Gp	539Pcs/20Gp
	462Pcs/20Gp	594Pcs/20Gp

37/11--Series(Hot & Cold)

Model	37/11	37/11
Cooling Method	Compressor Cooling	Electric Cooling
Origin of Water	Tap Water	Tap Water
Water Pressure	0.1-0.5Mpa	0.1-0.5Mpa
Filtration Speed of Water	150-800ml/min	150-800ml/min
Volume of Water Tank	3.2 Gallon	3.2 Gallon
Rated Voltage	220V~110V~	220V~110V~
Rated Frequency	50/60Hz	50/60Hz
Heating Power	550W	550W
Cooling Power	90W	90W
Heating Capacity	≥90℃ 5L/h	≥90℃ 5L/h
Cooling Capacity	≤10℃ 2L/h	10℃-15℃ 0.8L/h
Meas.	350x320x990mm	350x320x990mm
Loading Qty.	224Pcs/20Gp	256Pcs/20Gp
	462Pcs/20Gp	539Pcs/20Gp
	462Pcs/20Gp	594Pcs/20Gp